



GRITMED 9000

Chemical description

synthetic polymers in water solution

Main use

Medium for microgrits application by Airless and Vela

Typical values

Appearance at 20 °C:	liquid
Colour:	Opalescent colourless
pH (1% dispersion):	8 ± 1
Density (g/l) :	1015 ± 10

Product properties

GRITMED 9000 is a product used for the application of glaze granulates or micro grits on the surface of the tile.

These can be mixed easily with the product and brought to the optimum viscosity, with the addition of water, glaze or the same GRITMED 9000.

Has been studied for Airless and Veil applications to maintain a homogeneous suspension. This allows to apply the micro grits optimally on the tile, to replacing the dry applications.

Applications

	Involved materials	Application range
Blend for Vela	Grit/Gritmed/water	Since 45/10/45
Blend for Airless	Grit/Gritmed/water	Since 45/15/40

Storage and handling

GRITMED 9000 when stored under normal conditions of temperature (5°C to 40°C) is stable and maintains its characteristics for at least 12 month.

ceramics.lamberti.com

Packaging

125, 220 Kg plastic drums, 1000 kg plastic tanks.

Material safety

"Detailed health and safety information can be found in our safety data sheet, available according to ECC Directive"

This information and our technical recommendations, if any, both verbal and in writing, are given to the best of our knowledge, without any express or implied warranty, e.g., regarding their fitness for a specific purpose. Each user of our products is the sole responsible for assessing and ensuring compliance with all legal regulations including intellectual property laws and necessary certifications and authorizations with respect to the use, combination and processing of our products. Our technical recommendations do not release the user from the obligation to check its validity and to test our products as to their suitability and fitness for the intended processes and uses. The application, use and processing of both our products and the products manufactured by the user (on the basis of our technical recommendations, if any) are beyond our control and, therefore, the user is the sole responsible for them. Detailed information and instructions on handling the products and cautions to be observed in the use of them are available in our relevant Safety Data Sheet.