



Tensiojet L

Chemical Description

Ethoxylated propoxylated copolymers.

Main use

Leveling agent for glazes and engobes in airless, disk and waterfall applications.

Product properties

TENSIOJET L are leveling and antifoaming agents which can lower the fluid surface tension.

The complete range here below :

- ✓ TENSIOJET L/61
- ✓ TENSIOJET L/62
- ✓ TENSIOJET L/63

TENSIOJET L are oily liquids , partially water soluble but easily dispersible; their lubrication is advantageous for avoiding clogging of the nozzles.

Applications

TENSIOJET L can be added directly to the glaze applied after the digital decors.

Dosage:

Liquid glaze/TENSIOJET L (w/w)	100 / 0.05-0.2
--------------------------------	----------------

Those data have to be considered approximated because they depend on the base glaze applied and on the glazing line condition.

Storage and handling

TENSIOJET L are stable in closed container and in conditions at which extreme temperatures are avoided.

The products can be stored between -5°C and + 40°C and their shelf life is guaranteed for at least 12 months.

Packaging

25, 50, 200 Kg drums and 1000 kg plastic tanks.

Material safety

Safety information can be found in our safety data sheet, available according to ECC.

ceramics.lamberti.com

This information and our technical recommendations, if any, both verbal and in writing, are given to the best of our knowledge, without any express or implied warranty, e.g., regarding their fitness for a specific purpose. Each user of our products is the sole responsible for assessing and ensuring compliance with all legal regulations including intellectual property laws and necessary certifications and authorizations with respect to the use, combination and processing of our products. Our technical recommendations do not release the user from the obligation to check its validity and to test our products as to their suitability and fitness for the intended processes and uses. The application, use and processing of both our products and the products manufactured by the user (on the basis of our technical recommendations, if any) are beyond our control and, therefore, the user is the sole responsible for them. Detailed information and instructions on handling the products and cautions to be observed in the use of them are available in our relevant Safety Data Sheet.